



SDS

Pro League® Elite Red

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Pro League® Elite Red

Common Name: N.A.
SDS Number: BLM017
Revision Date: 1/13/2021

Supplier Details: PROFILE Products, LLC

750 LAKE COOK ROAD, SUITE 440

BUFFALO GROVE, IL 60089

Contact: ChemTrec Acct #: CCN792719

Phone: (847) 215-1144 **Fax:** (847) 215-0577

Email: tech@profileproducts.com Internet: www.profileproducts.com

Emergency: Emergency Phone: (800) 424-9300 (ChemTrec)

Description: Calcined, non-swelling illite and non-crystalline opal CT mineral.

2

HAZARDS IDENTIFICATION

Classification of Substance

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Specific target organ toxicity - Single exposure, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING GHS Hazard Pictograms:



GHS Hazard Statements:

H335 - May cause respiratory irritation

GHS Precautionary Statements:

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Inhalation: Lungs

Skin Contact: Wash with soap and water until clean

Eye Contact: Wash out with water Ingestion: No adverse effect

COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
14808607	3-5%	Silica, crystalline quartz

FIRST AID MEASURES

Inhalation: Move to fresh air.

Wash throughly with soap and water. **Skin Contact:**

Flush thoroughly with water. See a physician if discomfort persists. **Eye Contact:** None. If large quantities are ingested consult your physician. Ingestion:

FIRE FIGHTING MEASURES

Non-flammable and non-hazardous

ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers.

HANDLING AND STORAGE

Handling Precautions: Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and

reuse as product. If contaminated with other materials, collect in suitable containers.

Storage Requirements: Store in dry area.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective

Respiratory Protection: If dust concentrations exceed recommended Permissible Exposure Limits, use NIOSH- approved dust respirators, with approval TC-21C-xxx, until feasible engineering controls are **Equipment:**

completed.

Ventilation: Local exhaust or other ventilation that will reduce dust concentrations to less than

Permissible Exposure Limits is recommended.

Eye Protection: If high dust concentrations exist, tight-fitting goggles are recommended to reduce dust

exposure to the eyes.

Other Protective Equipment: Optional.

Exposure Limits (respirable fraction) in Air: OSHA & MSHA - PEL 10mg/m3

% SiO2 + 2 (8-Hour TWA)

ACGIH - TLV 0.05 mg/cubic meter (8-Hour TWA)

NIOSH 0.05mg/cubic meter (10-Hour TWA, 40-hour work week)

Exposure Limits refer to the respirable fraction. PEL means OSHA Permissible Exposure Limit.

TLV means American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value.

MSHA means Mine Safety and Health Administration Exposure Limit.

TWA means 8 hour Time Weighted Average.

PHYSICAL AND CHEMICAL PROPERTIES

Red colored granular particles Appearance:

Physical State: Solid granular particles Odor: Negligible **Odor Threshold:** Nealiaible Molecular Formula: Negligible Particle Size: -8 mesh Solubility: Negligible **Heat Value:** N.A. N.A.

Specific Gravity or

Density:

pH:

Boiling Point: Freezing/Melting Pt.: N.A. N.A. Flammability: N.A. Flash Point: N.A. **Partition Coefficient:** Octanol: N.A. N.A. Vapor Pressure: N.A. Vapor Density: N.A. 6.8 VOC: N.A.

Evap. Rate: N.A. **Bulk Density:** 40 lbs/cubic ft.

Molecular weight: **Auto-Ignition Temp:** N.A. N.A. **Decomp Temp: UFL/LFL:** N.A. N.A.

STABILITY AND REACTIVITY

Chemical Stability: Stable under all normal conditions. Materials to Avoid: Unreacted polymer monomers

Hazardous Decomposition: None Known **Hazardous Polymerization:** Will not occur.

TOXICOLOGICAL INFORMATION

Inhalation- N.E.

Intravenous- Rat - LD50:15mg/kg Oral - Rat - LD50:3160 mg/kg

ECOLOGICAL INFORMATION

Naturally occuring, inorganic, crystalline, absorbent, clay minerals, such as Attapulgalite and Montmorillonite, are used in a wide variety of commercial, industrial, and consumer applications. Calcium bentonite and sodium bentonite clays, which are composed mostly of monmorillonite, have been listed for many years as Generally Recognized as Safe (GRAS) by the U.S. Food and Drug Administration (FDA) for use in human food and animal feed.

DISPOSAL CONSIDERATIONS

Can be disposed of in an approved disposal facility, in accordance with applicable federal, state, and local regulations. The nature and extent of contamination, if any, may require use of specialized disposal methods.

TRANSPORT INFORMATION

Ground Clay contains crystalline silica in solid form

WHMIS Classification D2A

WHMIS Label on each package

Not TDG regulated

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Silica, crystalline quartz (14808607) [3-5%] MASS, NRC, OSHAWAC, PA, TSCA, TXAIR

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory CODE Descriptions

MASS = MA Massachusetts Hazardous Substances List NRC = Nationally Recognized Carcinogens OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

COMPONENT / (CAS/PERC) / CODES

*Silica, crystalline quartz (14808607 3-5%) MASS, NRC, OSHAWAC, PA, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List NRC = Nationally Recognized Carcinogens OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

TSCA = Toxic Substances Control Act

OTHER INFORMATION

NFPA: Health = 1, Fire = 0, Reactivity = 0, Specific Hazard = n/a



Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Revision Date: 1/13/2021